

**GOVERNMENT OF ANDHRA PRADESH**  
**ABSTRACT**

Public Services – PR&RD - Allegations of irregularities in execution of "Providing drinking water to 16 habitations in Chinnaganjam, Karamchedu, and Parchur Mandals of Prakasam District from Kommamuru Canal" taken up by the RWS&S Department – Sri N. Parvatha Reddy, the then Executive Engineer, RWS&S, Ongole, Prakasam District now working at Madanapalle, Chittoor District - Disciplinary proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Additional article of charges – Issued.

-----

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.IA) DEPARTMENT

**G.O.Rt.No. 1009 .**

**Dated: 22.06.2013**  
**Read the following:-**

1. G.O.Rt.No.172, PR&RD (Vig.IA) Department, Dated: 31.01.2012.
2. From the G.A. (V&E) Dept., Vigilance Report No.72 (353/V&E/E2/2011) dt. 28.09.2012.

\*\*\*

**ORDER:**

It has been brought to the notice of the Government that certain irregularities were taken place in execution of "Providing drinking water to 16 habitations in Chinnaganjam, Karamchedu, and Parchur Mandals of Prakasam District from Kommamuru Canal" taken up by the RWS&S Department.

2. After examining the matter and in continuation of the charges framed in the reference 1<sup>st</sup> read above, Government have decided to frame additional charges against Sri N. Parvatha Reddy, the then Executive Engineer, RWS&S, Ongole, Prakasam District now working at Madanapalle, Chittoor District.

3. Accordingly, in continuation of the charges framed in the reference 1<sup>st</sup> cited, it is proposed to hold an enquiry against Sri N. Parvatha Reddy, the then Executive Engineer, RWS&S, Ongole, Prakasam District now working at Madanapalle, Chittoor District, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

4. The substance of the imputations of misconduct or misbehaviour in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charge (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charge are proposed to be sustained are also enclosed (Annexure-II and III).

5. Sri N. Parvatha Reddy, the then Executive Engineer, RWS&S, Ongole, Prakasam District now working at Madanapalle, Chittoor District is directed to submit within (10) days of the receipt of this order, a written statement of his defence.

6. Sri N. Parvatha Reddy, the then Executive Engineer, RWS&S, Ongole, Prakasam District now working at Madanapalle, Chittoor District, is informed that an enquiry will be held only in respect of those article of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

7. Sri N. Parvatha Reddy, the then Executive Engineer, RWS&S, Ongole, Prakasam District now working at Madanapalle, Chittoor District, is further informed that if he does not submit his written statement of defence on or before the period specified in Para 5 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

**(PTO)**

::2::

8. Sri N. Parvatha Reddy, the then Executive Engineer, RWS&S, Ongole, Prakasam District now working at Madanapalle, Chittoor District is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri N. Parvatha Reddy, the then Executive Engineer, RWS&S, Ongole, Prakasam District now working at Madanapalle, Chittoor District is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

9. The receipt of this order shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

VIKAS RAJ  
SECRETARY TO GOVERNMENT (RWS&S)

To

Sri N. Parvatha Reddy, the then Executive Engineer, RWS&S, Ongole, Prakasam District now working at Madanapalle, Chittoor District through the Engineer-in-Chief, RWS&S Department, Hyderabad.

The Engineer-in-Chief, RWS&S Department, Hyderabad.

(in duplicate with a request to serve and return the dated acknowledgement copy)

Copy to:

The PR&RD (Estt.I) Department.

The G.A. (V&E) Department (w.r.t. Vigilance Report No.72 (353/V&E/E2/2011),  
dt. 28.09.2012.

SF/SC

//FORWARDED BY ORDER//

SECTION OFFICER

## **ANNEXURE-I**

(Annexure to G.O.Rt.No. 1009 PR&RD (Vig.IA) Dept., dt.22.06.2013)

### **STATEMENT OF ARTICLE OF CHARGES AGAINST SRI N. PARVATHA REDDY, THE THEN EXECUTIVE ENGINEER, RWS&S, ONGOLE, PRAKASAM DISTRICT NOW WORKING AT MADANAPALLE, CHITTOOR DISTRICT.**

#### **CHARGE:**

That Sri N. Parvatha Reddy, while working as Executive Engineer, RWS&S, Ongole, Prakasam District, has recommended for payment for inferior quality of HDPE pipes. He has also failed to protect the interests of the Department and not initiated any steps to commence the scheme. Thus he failed to discharge his legitimate duties.

#### **Basis:**

Sri N. Parvatha Reddy, while working as Executive Engineer, RWS&S, Ongole, Prakasam District, has recommended for payment for inferior quality of HDPE Pipes. He has allowed substandard quality of work like not providing thrust blocks, improper gradient and alignment, laying pipes in haphazard manner which resulted to frequent breakage of pipes. He has recommended for payment of final bill without ensuring proper functioning of the scheme with the active connivance with the executing agency. He has also failed to take proper steps for commissioning of the defunct scheme within the defect liability period and also failed to protect the interests of the Department, and has not initiated any steps to commence the scheme. Due to his improper planning & execution, the schemes became defunct and there by the expenditure was wasteful. Thus he failed in supervision and guide the field staff. From this, it is evident that he has shown gross negligence towards his legitimate duties and failed in supervision which is in violation of Rule (3) of A.P. Civil Services (Conduct) Rules, 1964.

Hence, the charge.

VIKAS RAJ  
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER

**ANNEXURE-II**

(Annexure to G.O.Rt.No. 1009 , PR&RD (Vig.IA) Dept., dt.22.06.2013)

**LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI N. PARVATHA REDDY, THE THEN EXECUTIVE ENGINEER, RWS&S, ONGOLE, PRAKASAM DISTRICT NOW WORKING AT MADANAPALLE, CHITTOOR DISTRICT.**

Vigilance Report No.72 (353/V&E/E2/2011), dt. 28.09.2012 of General Administration (V&E) Department.

VIKAS RAJ  
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER

**ANNEXURE-III**

(Annexure to G.O.Rt.No. 1009 , PR&RD (Vig.IA) Dept., dt. 22.06.2013)

**LIST OF WITNESSES BY WHOM THE ARTICLE OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI N. PARVATHA REDDY, THE THEN EXECUTIVE ENGINEER, RWS&S, ONGOLE, PRAKASAM DISTRICT NOW WORKING AT MADANAPALLE, CHITTOOR DISTRICT.**

- NIL –  
+

VIKAS RAJ  
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER